(12) UK Patent Application (19) GB (11) 2 360 637 (13) A

(43) Date of A Publication 26.09.2001

(21) Application No 0006782.7

(22) Date of Filing 22.03.2000

(71) Applicant(s)

Glenn Brazier 44 Surrenden Road, FOLKESTONE, Kent, CT19 4EA, **United Kingdom**

Steven Harvey Flat 1, 159 Cheriton Road, FOLKESTONE, Kent, CT19 5HG, United Kingdom

David Morris 29 Tartane Lane, DYMCHURCH, Kent, TN29 OLJ. United Kingdom

Philip Saunders 27 High Ridge, HYTHE, Kent, CT21 STE, United Kingdom

(72) inventor(s) Glenn Brazier Steven Harvey (51) INT CL7 H01R 13/62 // H01R 33/20 33/22 33/46

(52) UK CL (Edition S) H2E ECCM ECSX

(56) Documents Cited FR 002638907 A

(58) Field of Search UK CL (Edition S) H2E ECCM ECSB ECSD ECSX INT CL7 HO1R Online: EPODOC, JAPIO, WPI

(72) cont **David Morris Philip Saunders**


(74) Agent and/or Address for Service Glenn Brazier 44 Surrenden Road, FOLKESTONE, Kent, CT19 4EA. **United Kingdom**

(54) Abstract Title A magnetic adaptor for a standard lamp to ease removal of the bulb

(57) An adaptor which is designed to make removal and replacement of a lamp easier and safer for the user. Part A will fit into an existing lamp holder whilst pad B will accept a 'standard' lamp.


The two parts slot together, coupling being maintained by magnetic discs (7 and 13) on both pads. Electrical continuity is achieved by connection between sprung metal contacts (8 and 9) recessed in pad A and concentric conductive metal contacts (14 and 15) on part B.

1. BAYONET FITTING




DETAIL FROM Y

1. BAYONET FITTING



2. SCREW FITTING




OTHER DETAIL REPEATED

AS WITH BAYONET FITTING

1. BAVONET FITTING

2. SCREW FITTING



DESCRIPTION

An adaptor for a 'standard' lamp holder to ease removal of the lamp and improve user safety.

An adaptor for a 'standard' lamp holder to ease removal of the lamp and improve user safety; comprising two parts, (A & B), primarily made of a plastic insulating material of any kind.

Part A comprises a male bayonet fitting (1) or a male screw fitting (2) at the top suitable to fit into an existing 'standard' lamp holder, with conductive metal contact points (3 & 4 or 5 & 6). A magnetic disc (7) and sprung conductive metal contacts (8 & 9) are situated at the base and the contacts (8 & 9) are enclosed in an insulating material (10) with concentric slots (25 & 26) cut into it to allow access. The contacts (8 & 9) are connected to contact points (3 & 4 or 5 & 6) by internal conductive wire links (11 & 12).

Part B comprises a magnetic disc (13) of the same dimensions as the magnetic disc (7) in part A with two concentric conductive metal contacts (14 & 15) at the top. The magnetic disc (13) and contacts (14 & 15) are mounted on an insulating material and are positioned so as to coincide with the positions of the magnetic disc (7) and contact pins (8 & 9) via the slots (25 & 26) in part A when the two parts are fitted together. A female bayonet fitting (17) or a female screw fitting (18) is situated at the base to accept a 'standard' lamp with conductive metal contact points (19 & 20 or 21 & 22) connected to the contacts (14 & 15) by internal conductive wire links (23 & 24).

CLAIMS

- 1. An adaptor for a 'standard' lamp holder to ease removal and replacement of the lamp and improve user safety comprising two parts primarily made of a plastic insulating material.
- 2. An adaptor for a 'standard' lamp holder as claimed in claim 1 wherein the upper part is designed to fit into a standard bayonet or screw fitting lamp holder.
- 3. An adaptor for a 'standard' lamp holder as claimed in claim 1 wherein the lower part is designed to accept a standard bayonet cap or screw fitting lamp.
- 4. An adaptor for a 'standard' lamp holder as claimed in preceding claims wherein coupling of the upper and lower parts is maintained by magnetic discs on both parts.
- 5. An adaptor for a 'standard' lamp holder as claimed in preceding claims wherein electrical continuity is provided by sprung conductive metal contacts in the upper part which coincide with concentric conductive metal contacts on the lower part.
 - 6. An adaptor for a 'standard' lamp holder as claimed in preceding claims wherein the contacts in the upper part are recessed in an insulating material to ensure user safety.
 - 7. An adaptor for a 'standard' lamp holder substantially as described herein with reference to all aspects of the accompanying drawing.







Application No: Claims searched: GB 0006782.7

Examiner: Date of search: Brendan Churchill 27 June 2001

Patents Act 1977 **Search Report under Section 17**

Databases searched:

UK Patent Office collections, including GB, EP, WO & US patent specifications, in:

UK Cl (Ed.S): H2E (ECSB, ECSD, ECSX, ECCM)

Int Cl (Ed.7): H01R

Online: EPODOC, JAPIO, WPI Other:

Documents considered to be relevant:

Category	Identity of document and relevant passage		Relevant to claims
X	FR 2638907 A	(DALMAU & TILHOS) see figs 1 & 2, see also WPI Abstract Accession No. 1999-195862/26	1-6
			4 ,

- Document indicating lack of acvelty or inventive step Document indicating lack of inventive step if combined with one or more other documents of same category.
- Member of the same patent family

- Document indicating technological background and/or state of the art. Document published on or after the declared priority date but before the
- filing date of this invention. Patent document published on or after, but with priority date earlier
- than, the filing date of this application.